




Audio Recording Studio Guide

MEDIA CREATION LAB – SCOTT LIBRARY






Video Guides




Instructions

Set Up		
1	Turn on the Focusrite Scarlett by flipping the switch at the back of the device.	
2	Log into the computer using your passport York (PPY).	
3	Open the Hindenburg application on the computer	

Set Up

4	Click Tools in the Menu Bar then click Options.	 A screenshot of the Flex Studio software interface. The 'Tools' menu is open, and the 'Options...' option is highlighted with a red box. The menu bar also shows 'File', 'Edit', 'View', 'Window', and 'Help'. Other visible options in the Tools menu include 'Split Stereo', 'Auto Level', and 'Magic Levels...'. The background shows a speaker control panel and a timeline.
5	Check that the ASIO Driver is selected and set Default bit resolution to 24bit and Default sample rate to 48,000 Hz. Click OK.	 A screenshot of the 'Options' dialog box in Flex Studio. The 'ASIO' checkbox is checked and highlighted with a red box. Below it, the 'Default bit resolution' is set to '24 bit' and the 'Default sample rate' is set to '48000 Hz', both highlighted with red boxes. The 'Record Mode' is set to 'Auto'. The 'Playback' and 'Record' dropdowns are set to 'Focusrite USB ASIO' and '1-2'. The 'Temp. Folder' is set to 'C:/Users/timmyola/AppData/L...'. The 'OK' button is highlighted.
6	After selecting the ASIO Driver and bit resolution, click YES in the pop-up.	 A screenshot of a 'Hindenburg' pop-up dialog box. The text asks 'Do you want to create a new session with the chosen sample rate now?'. The 'Yes' button is highlighted with a red box. The 'No' and 'Cancel' buttons are also visible.

Set Up

7	<p>Set inputs for each track in Hindenburg. Select: Focusrite USB ASIO > Mono > # (Input #)</p> <p>Repeat for all tracks to be used.</p>	
8	<p>Enable Arm track to record and change track name if desired.</p> <p>Repeat for all tracks to be used.</p>	
9	<p>Turn up the Headphone knob then control each headphone from their designated knob on the headphone mixer. The large Monitor knob controls the speaker volume.</p>	

Set Up


10

Turn up gain knobs and begin a sound check





11

While performing your sound check, adjust the gain knob so the volume meter in Hindenburg is close to white notch but not over (should be blue, not red).






Recording

1	Press the record button to begin recording	
2	Press the stop button to stop recording	

Playback

1	<p>Click the Go to zero button, then press the play button to listen to your recording.</p> <p>Note: turn down the Gain knobs on the Scarlett to mute the Mics while listening to playback.</p>	
---	--	--

Save and Export

<p>1</p>	<p>To save the current Hindenburg project click the Save button and name your file.</p> <p>Note: You can only open project files with Hindenburg software.</p>	
<p>2</p>	<p>Hindenburg will create a project file (Hindenburg Session) and a folder with all the audio files. You need the file and the folder to continue working on the project next time.</p>	
<p>3</p>	<p>To export the audio file, click the Export button and select your format.</p> <p>Note: This computer does not save files between uses. Please save to an external hard drive or upload to online storage.</p>	

Attributions

1. Contributors

Media Creation Lab, York University Digital Scholarship Infrastructure

Alan Peng, editor

Ted Belke, editor

Timi Akinbaleye, writer

2. Assets

Focusrite Scarlett 18i8 images from <https://focusrite.com>



This work is licensed under a [Creative Commons Attribution-NonCommercial 4.0 International License](https://creativecommons.org/licenses/by-nc/4.0/).